



DECLARATION OF PERFORMANCE

BETONFIBER® HE7535 STEEL FIBRES

Declared characteristics	Declared Performance	Harmonised Standard
Class	II	CE EN 14899:2 2006
Length	35 mm	
Diameter	0.75 mm	
Polymer	Steel	
Shape	Hooked-end	
Tensile Strength	1400 N/mm ²	
Consistence with 15 kg/m ³ fibres – VEBE Time	7 seconds	
Average Usage	10 kg/m ³ to 45 kg/m ³	
Effect on Strength in reference concrete	15 kg/m ³ to obtain 1.5 N/mm ² @ CMOD = 0.5mm 1.0 N/mm ² @ CMOD = 3.5mm	

Signed for and behalf of the manufacturer by:

Simon Evans - B.Eng., C.Eng, MCIWEM

Chesterfield, UK
May 2013

Director of Engineering